

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Perma Blend
95A Hoffmann ave
Unit O
Islandia NY 11749
USA

CTL[®] no **385573+385792+386676**

[Order date]

[Date received]

[Service date] 03.12.2018

tattoolab.eu


Certificate

[Article] Permanent Cosmetic Ink
[Brand] Perma Blend
[Colour/product code] Queens Red/PBQH
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 03. DECEMBER 2018


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45