



CTL® GmbH
CHEMICAL TECHNOLOGICAL LABORATORY

CTL® GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Perma Blend
460A Greenway Industrial Drive
Fort Mill, SC 29708
USA

CTL® no 385573+385792+386993

[Order date] --
[Date received] --
[Service date] 03.12.2018
tattoo.lab.eu

Certificate

[Article] Permanent cosmetic pigment
[Brand] Perma Blend
[Colour/product code] Micro Dark / PBSCMD
[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

Part 1a
Testing of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1
Detection limit: 1 ppm; limit: as low as technically avoidable

DIN EN 14362, § 64 LFGB 82.02-2,3,4,9
GC/MS analysis
HPLC analysis

Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
—	Biphenyl-4-ylamine	202-177-1	92-67-1	—	3,3'-Dimethoxybenzidine	204-385-4	119-90-4
—	Benzidine	202-199-1	92-87-5	—	3,3'-Dimethylbenzidine	204-388-0	119-83-7
—	4-Chloro-o-toluidine	202-411-6	85-69-2	—	4,4'-Methylened-o-toluidine	212-658-8	838-88-0
—	2-Naphthylamine	202-080-4	91-59-8	—	6-Methoxy-m-toluidine	204-419-1	120-71-8
—	o-Aminoazotoluene	202-591-2	97-56-3	—	4,4'-Methylenebis-(2-chloroaniline)	202-918-9	101-14-4
—	5-Nitro-o-toluidine	202-765-8	98-55-8	—	4-Methyl-m-phenylenediamine	202-453-1	95-80-7
—	4-Chloroaniline	203-401-0	106-47-8	—	o-Anisidine	201-983-1	90-04-0
—	4-Methoxy-m-phenylenediamine	210-406-1	615-05-4	—	4-Aminoazobenzene	200-453-6	60-09-3
—	4,4'-Methylenediamine	202-974-4	101-77-9	—	6-Amino-2-ethoxynaphthalene	—	283733-21-8
—	3,3'-Dichlorobenzidine	202-109-0	91-94-1	—	4-Amino-3-fluorophenol	418-230-9	399-95-1

Part 1b
Testing of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1
Detection limit: 1 ppm

DIN EN 14362, § 64 LFGB 82.02-2,3,4,9
GC/MS analysis
HPLC analysis

Amount (ppm)	Amine	EC no	CAS no	Amount (ppm)	Amine	EC no	CAS no
—	4,4'-Oxydianiline	202-977-0	101-80-4	—	Para-phenylenediamine	2003-404-7	106-50-3
—	4,4'-Thiodianiline	205-370-9	139-65-1	—	2,4 Xyldine	—	95-68-1
—	o-Toluidine	202-429-0	95-53-4	—	2,6 Xyldine	—	87-62-7
—	2,4,5-Trimethylaniline	205-282-0	137-17-7				

BIELEFELD, 03. DECEMBER 2018

Helmut Meyer (Lab manager)

(-) or below detection limit
[Sig] The detected results are only valid for the tested sample

The validity of the certificate is 3 years

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Kerry-Luise Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 36-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoo.lab.eu

[Bank] Sparkasse Gütersloh
Kornel-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4006345



CTL® GmbH
CHEMICAL TECHNOLOGICAL LABORATORY

CTL® GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Perma Blend
460A Greenway Industrial Drive
Fort Mill, SC 29708
USA

CTL® no

385573+385792+386993

[Order date]

[Date received]

[Service date]

03.12.2018

tattoolab.eu

Certificate

[Article] Permanent cosmetic pigment

[Brand] Perma Blend

[Colour/product code] Micro Dark / PBSCMD

[Test] Dyesuffs acc. to CoE Resolution ResAP(2008)1: Part 2

Part 2
Testing of dyesuffs according to CoE Resolution ResAP(2008)1
Detection limit: 5 mg/l

DIN 54231 in the up-to-date legislation
GC/MS analysis
HPLC analysis
TLC analysis

Amount (ppm)	Colourant	CI no	CAS no	Amount (ppm)	Colourant	CI no	CAS no
--	Acid Green 16	44025	12768-78-4	--	Disperse Orange 37		12223-33-5
--	Acid Red 26	16150	3761-53-3	--	Disperse Red 1	11110	2872-52-8
--	Acid Violet 17	42650	4129-84-4	--	Disperse Red 17	11210	3179-89-3
--	Acid Violet 49	42640	1694-09-3	--	Disperse Yellow 3	11855	2832-40-8
--	Acid Yellow 36	13065	587-98-4	--	Disperse Yellow 9	10375	6373-73-5
--	Basic Blue 7	42595	2390-60-5	--	Pigment Orange 5	12075	3468-63-1
--	Basic Green 1	42040	633-03-4	--	Pigment Red 53	15585	2092-56-0
--	Basic Red 1	45160	989-38-8	--	Pigment Violet 3	42535:2	1325-82-2
--	Basic Red 9	42500	569-61-9	--	Pigment Violet 39	42555:2	64070-98-0
--	Basic Violet 1	42535	8004-87-3	--	Solvent Blue 35	61554	17354-14-2
--	Basic Violet 10	45170	81-88-9	--	Solvent Orange 7	12140	3118-97-6
--	Basic Violet 3	42555	548-62-9	--	Solvent Red 24	26105	85-83-6
--	Disperse Blue 1	64500	2475-45-8	--	Solvent Red 49	45170:1	509-34-2
--	Disperse Blue 106		12223-01-7	--	Solvent Violet 9	42555:1	467-63-0
--	Disperse Blue 124		61951-51-7	--	Solvent Yellow 1	11000	60-09-3
--	Disperse Blue 3	61505	2475-46-9	--	Solvent Yellow 2	11020	60-11-7
--	Disperse Blue 35		12222-75-2	--	Solvent Yellow 3	11160	97-56-3
--	Disperse Orange 3	11005	730-40-5				

BIELEFELD, 03. DECEMBER 2018

Helmut Meyer (lab manager)

(--) = Below detection limit

[gef] The detected results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Kerry-Lise Prior
[Based in] Bielefeld
[Register of Companies AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED1 GTL
[IBAN] DE 87 47560055 000 4003345



CTL® GmbH
CHEMICAL-TECHNOLOGICAL LABORATORY

CTL® GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Perma Blend
460A Greenway Industrial Drive
Fort Mill, SC 29708
USA

CTL® no

385573+385792+386993

[Order date]

[Date received]

[Service date]

03.12.2018

tattoo@lab.eu

Certificate

[Article]

Permanent cosmetic pigment

[Brand]

Perma Blend

[Colour/product code]

Micro Dark / PBSCMD

[Test]

Heavy Metals acc. to CoE Resolution ResAP(2008)1: Part 3

Part 3
Testing of heavy metals according to CoE Resolution
ResAP(2008)1

Method: Prior, G. (2014). Tattoo Inks: Analysis, Pigments,
Legislation.
Berlin: epubli. CTL method 2, p. 83.

Amount (ppm)	Elements or compound	Limit (ppm)	Detection limit (ppm)	Amount (ppm)	Elements or compound	Limit (ppm)	Detection limit (ppm)
< 1	Arsenic (As)	≤ 2	1	< 0.1	Nickel (Ni)	As low as technically achievable	0.1
< 5	Barium (Ba)	≤ 50	5	< 1	Lead (Pb)	≤ 2	1
< 0.1	Cadmium (Cd)	≤ 0.2	0.1	< 1	Selenium (Se)	≤ 2	1
< 5	Cobalt (Co)	≤ 25	5	< 1	Antimony (Sb)	≤ 2	1
< 0.1	Chromium (Cr), VI	≤ 0.2	0.1	< 5	Tin (Sn)	≤ 50	5
< 5	Copper (Cu), soluble	≤ 25	5	< 5	Zinc (Zn)	≤ 50	5
< 0.1	Mercury (Hg)	≤ 0.2	0.1				

BIELEFELD, 03. DECEMBER 2018

Helmut Meyer (lab manager)

[see] The denoted results are only valid for the tested sample. Without our written consent, no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Kerry-Luise Prior
[Based in] Bielefeld
[Registrar of Companies / AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl.bielefeld.de
tattoo@lab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33390 Gütersloh, GERMANY
[SWIFT/BIC] WELADED1 GTL
[IBAN] DE 87 47850085 000 4005345



CTL® GmbH
CHEMICAL · TECHNOLOGICAL LABORATORY

CTL® GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Perma Blend
460A Greenway Industrial Drive
Fort Mill, SC 29708
USA

CTL®-No

385573+385792+386993

[Order date]

[Date received]

[Service date]

03.12.2018

tattoolab.eu

Certificate

[Article]

Permanent cosmetic pigment

[Brand]

Perma Blend

[Colour/product code]

Micra Dark / PBSCMD

[Test]

Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4; L06.00-18: Part 5
tested on a single representative sample

Part 5 Testing of sterility Detection limit: 1.0×10^1 CFU/g	
Results	
Microbiological test: pseudomonads = King A, King B, Oxidase test acc. to CoE ResAP(2008)1	< 1.0×10^1 CFU/g
Anaerobes sulfite-reducing sporulating bacteria acc. to ASU §64 LFGB L59.00-4	< 1.0×10^1 CFU/g
Aerobes mesophilic sporulating bacteria acc. to ASU §64 LFGB L06.00-18	< 1.0×10^1 CFU/g

BIELEFELD, 03. DECEMBER 2018


Helmut Meyer (lab manager)

[gaf] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address]

Krackser Straße 12
33659 Bielefeld, GERMANY

[Managing Director]

Kerry-Luise Prior

[Phone]

+49 521 400 82 89 0

[Email]

sekretariat@ctl-malls.de

[Homepage]

ctl-bielefeld.de

[Based in]

Bielefeld

[Register of Companies]

AG Bielefeld, HRB 35-412

[VAT ID No]

DE 176 26 5000

[Bank]

Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33390 Gütersloh, GERMANY

[SWIFT/BIC]

WEIAD3331

[IBAN]

DE 87 47560055 000 4005345



CTL® GmbH
CHEMICAL TECHNOLOGICAL LABORATORY

CTL® GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Perma Blend
460A Greenway Industrial Drive
Fort Mill, SC 29708
USA

CTL® no

385573+385792+385993

[Order date]

[Date received]

[Service date]

03.12.2018

tattoolab.eu

Certificate

[Article]

Permanent cosmetic pigment

[Brand]

Perma Blend

[Colour/product code]

Micro Dark / PBSCMD

[Test]

PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4

Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP)
according to CoE Resolution ResAP(2008)1

EPA, ZEK 2008-01

Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb
Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb

Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 03. DECEMBER 2018

Helmuth Meyer (lab manager)

(---) = below detection limit

[lab] The denoted results are only valid for this tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] **Krackser Straße 12**
33659 Bielefeld, Germany
[Managing director] **Kerry-Liise Prior**
[Registered office in] **Bielefeld**
[Register of companies] **AG Bielefeld, HRB 36412**

[Phone] **+49 521 400 82 89 0**
[Email] **sekretariat@ctl-mails.de**
[Homepage] **ctl-bielefeld.de**
tattoolab.eu

[Bank] **Sparkasse Göttingen**
Korrad-Adenauer-Platz 1
38330 Quedlinburg, Germany
[SWIFT/BIC] **WELADED 1 GTL**
[IBAN] **DE87 4725 0085 0004 0053 45**